



CERTIFICATE OF CONFORMITY

SAI Global hereby grants:

Yonggao Co., Ltd

No. 2, Daixi Road, Huangyan Economic Development Zone, Taizhou, Zhejiang China

WaterMark Certificate of Conformity – Level 1

Evaluated to:

AS/NZS 1260:2009 - PVC-U pipes and fittings for drain, waste and vent application

“the WaterMark Licensee” the right to use or arrange the use of the WATERMARK as shown below only in respect of the goods described and detailed on the product schedule identified on www.saiglobal.com which are produced by the WaterMark Licensee or on behalf of the WaterMark Licensee* and which comply with the appropriate Standard referred to above as from time to time amended. The Licence is granted subject to the rules governing the use of the WATERMARK and the Terms and Conditions for certification. The WaterMark Licensee covenants to comply with all the Rules and Terms and Conditions

Certificate No: WMK26022

Issued : 1 February 2018

Expires : 28 July 2020

Originally Certified : 29 July 2015

Current Certification : 1 February 2018

Nicole Grantham
General Manager SAI Global Certification Services



WaterMark



WWW.JAS-ANZ.ORG/REGISTER

* For details of manufacture, refer to the licensee

The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) (“SAI Global”) 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.



SAI GLOBAL

INFORM. INSPIRE. IMPROVE.

SCHEDULE TO CERTIFICATE OF CONFORMITY

SAI Global hereby grants :

Yonggao Co., Ltd

No. 2, Daixi Road, Huangyan Economic Development Zone, Taizhou, Zhejiang China

WaterMark Certificate of Conformity – Level 1

Evaluated to:

AS/NZS 1260:2009 - PVC-U pipes and fittings for drain, waste and vent application

Model identification of the goods on which the WATERMARK may be used:

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
100*40 LEVEL INVERT TAPER F/F	100*40 LEVEL INVERT TAPER F/F	ERA/BU TT HEAD	100*40 LEVEL INVERT TAPER F/F	LEVEL INVERT TAPER	DN100*DN 40	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016
100*40 LEVEL INVERT TAPER F/F	100*40 LEVEL INVERT TAPER F/F	BUILDRI TE / MAAT	100*40 LEVEL INVERT TAPER F/F	LEVEL INVERT TAPER	DN100*DN 40	SN6	solvent cement - tapere d socket	Light Grey	10 Apr 2017
100*40 LEVEL INVERT TAPER F/F	100*40 LEVEL INVERT TAPER F/F	HOLMAN / KIWIPLA S	100*40 LEVEL INVERT TAPER F/F	LEVEL INVERT TAPER	DN100*DN 40	SN6	solvent cement - tapere d socket	Light Grey	28 Oct 2016
100*40 SOCKET REDUCER F/F	100*40 SOCKET REDUCER F/F	HOLMAN / KIWIPLA S	100*40 SOCKET REDUCER F/F	SOCKET REDUCER	DN100*DN 40	SN6	solvent cement - tapere d socket	Light Grey	28 Oct 2016

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules



* For details of manufacture, refer to the licensee

The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
100*40 SOCKET REDUCER F/F	100*40 SOCKET REDUCER F/F	BUILDRI TE / MAAT	100*40 SOCKET REDUCER F/F	SOCKET REDUCER	DN100*DN 40	SN6	solvent cement - tapered socket	Light Grey	10 Apr 2017
100*40 SOCKET REDUCER F/F	100*40 SOCKET REDUCER F/F	ERA/BU TT HEAD	100*40 SOCKET REDUCER F/F	SOCKET REDUCER	DN100*DN 40	by Dimensions	solvent cement - tapered socket	Light Grey	24 Feb 2016
100*50 FLOOR WASTE GULLY	100*50 FLOOR WASTE GULLY	ERA/BU TT HEAD	100*50 FLOOR WASTE GULLY	FLOOR WASTE GULLY	DN100*DN 50	by Dimensions	solvent cement - tapered socket	Light Grey	24 Feb 2016
100*50 FLOOR WASTE GULLY	100*50 FLOOR WASTE GULLY	HOLMAN / KIWIPLAS	100*50 FLOOR WASTE GULLY	FLOOR WASTE GULLY	DN100*DN 50	SN6	solvent cement - tapered socket	Light Grey	28 Oct 2016
100*50 FLOOR WASTE GULLY	100*50 FLOOR WASTE GULLY	BUILDRI TE / MAAT	100*50 FLOOR WASTE GULLY	FLOOR WASTE GULLY	DN100*DN 50	SN6	solvent cement - tapered socket	Light Grey	10 Apr 2017
100*50 FOUR WAY RISER	100*50 FOUR WAY RISER	ERA/BU TT HEAD	100*50 FOUR WAY RISER	FOUR WAY RISER	DN100*DN 50	by Dimensions	solvent cement - tapered socket	Light Grey	24 Feb 2016
100*50 FOUR WAY RISER	100*50 FOUR WAY RISER	HOLMAN / KIWIPLAS	100*50 FOUR WAY RISER	FOUR WAY RISER	DN100*DN 50	SN6	solvent cement - tapered socket	Light Grey	28 Oct 2016
100*50 FOUR WAY RISER	100*50 FOUR WAY RISER	BUILDRI TE / MAAT	100*50 FOUR WAY RISER	FOUR WAY RISER	DN100*DN 50	SN6	solvent cement - tapered socket	Light Grey	10 Apr 2017

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules

Registered by:



The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
100*50 LEVEL INVERT TAPER F/F	100*50 LEVEL INVERT TAPER F/F	HOLMAN / KIWIPLAS	100*50 LEVEL INVERT TAPER F/F	LEVEL INVERT TAPER	DN100*DN 50	SN6	solvent cement - tapere d socket	Light Grey	28 Oct 2016
100*50 LEVEL INVERT TAPER F/F	100*50 LEVEL INVERT TAPER F/F	ERA/BU TT HEAD	100*50 LEVEL INVERT TAPER F/F	LEVEL INVERT TAPER	DN100*DN 50	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016
100*50 LEVEL INVERT TAPER F/F	100*50 LEVEL INVERT TAPER F/F	BUILDRI TE / MAAT	100*50 LEVEL INVERT TAPER F/F	LEVEL INVERT TAPER	DN100*DN 50	SN6	solvent cement - tapere d socket	Light Grey	10 Apr 2017
100*50 SOCKET REDUCER F/F	100*50 SOCKET REDUCER F/F	BUILDRI TE / MAAT	100*50 SOCKET REDUCER F/F	SOCKET REDUCER	DN100*DN 50	SN6	solvent cement - tapere d socket	Light Grey	10 Apr 2017
100*50 SOCKET REDUCER F/F	100*50 SOCKET REDUCER F/F	HOLMAN / KIWIPLAS	100*50 SOCKET REDUCER F/F	SOCKET REDUCER	DN100*DN 50	SN6	solvent cement - tapere d socket	Light Grey	28 Oct 2016
100*50 SOCKET REDUCER F/F	100*50 SOCKET REDUCER F/F	ERA/BU TT HEAD	100*50 SOCKET REDUCER F/F	SOCKET REDUCER	DN100*DN 50	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016
100*65 FLOOR WASTE GULLY	100*65 FLOOR WASTE GULLY	HOLMAN / KIWIPLAS	100*65 FLOOR WASTE GULLY	FLOOR WASTE GULLY	DN100*DN 65	SN6	solvent cement - tapere d socket	Light Grey	28 Oct 2016
100*65 FLOOR WASTE GULLY	100*65 FLOOR WASTE GULLY	BUILDRI TE / MAAT	100*65 FLOOR WASTE GULLY	FLOOR WASTE GULLY	DN100*DN 65	SN6	solvent cement - tapere d socket	Light Grey	10 Apr 2017

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules



Registered by:

The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
100*65 FLOOR WASTE GULLY	100*65 FLOOR WASTE GULLY	ERA/BUTT HEAD	100*65 FLOOR WASTE GULLY	FLOOR WASTE GULLY	DN100*DN 65	by Dimensions	solvent cement - tapered socket	Light Grey	24 Feb 2016
100*65 LEVEL INVERT TAPER F/F	100*65 LEVEL INVERT TAPER F/F	HOLMAN / KIWIPLAS	100*65 LEVEL INVERT TAPER F/F	LEVEL INVERT TAPER	DN100*DN 65	SN6	solvent cement - tapered socket	Light Grey	28 Oct 2016
100*65 LEVEL INVERT TAPER F/F	100*65 LEVEL INVERT TAPER F/F	BUILDRITE / MAAT	100*65 LEVEL INVERT TAPER F/F	LEVEL INVERT TAPER	DN100*DN 65	SN6	solvent cement - tapered socket	Light Grey	10 Apr 2017
100*65 LEVEL INVERT TAPER F/F	100*65 LEVEL INVERT TAPER F/F	ERA/BUTT HEAD	100*65 LEVEL INVERT TAPER F/F	LEVEL INVERT TAPER	DN100*DN 65	by Dimensions	solvent cement - tapered socket	Light Grey	24 Feb 2016
100*65 SOCKET REDUCER F/F	100*65 SOCKET REDUCER F/F	HOLMAN / KIWIPLAS	100*65 SOCKET REDUCER F/F	SOCKET REDUCER	DN100*DN 65	SN6	solvent cement - tapered socket	Light Grey	28 Oct 2016
100*65 SOCKET REDUCER F/F	100*65 SOCKET REDUCER F/F	BUILDRITE / MAAT	100*65 SOCKET REDUCER F/F	SOCKET REDUCER	DN100*DN 65	SN6	solvent cement - tapered socket	Light Grey	10 Apr 2017
100*65 SOCKET REDUCER F/F	100*65 SOCKET REDUCER F/F	ERA/BUTT HEAD	100*65 SOCKET REDUCER F/F	SOCKET REDUCER	DN100*DN 65	by Dimensions	solvent cement - tapered socket	Light Grey	24 Feb 2016
150*100 FINISHING COLLAR AND GRATE	150*100 FINISHING COLLAR AND GRATE	BUILDRITE / MAAT	150*100 FINISHING COLLAR AND GRATE	FINISHING COLLAR AND GRATE	DN150*DN 100	SN6	solvent cement - tapered socket	Light Grey	10 Apr 2017

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules



Registered by:

The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
150*100 FINISHING COLLAR AND GRATE	150*100 FINISHING COLLAR AND GRATE	ERA/BUTT HEAD	150*100 FINISHING COLLAR AND GRATE	FINISHING COLLAR AND GRATE	DN150*DN100	by Dimensions	solvent cement - tapered socket	Light Grey	24 Feb 2016
150*100 FINISHING COLLAR AND GRATE	150*100 FINISHING COLLAR AND GRATE	HOLMAN / KIWIPLAS	150*100 FINISHING COLLAR AND GRATE	FINISHING COLLAR AND GRATE	DN150*DN100	SN6	solvent cement - tapered socket	Light Grey	28 Oct 2016
50*40 LEVEL INVERT TAPER F/F	50*40 LEVEL INVERT TAPER F/F	ERA/BUTT HEAD	50*40 LEVEL INVERT TAPER F/F	LEVEL INVERT TAPER	DN50*DN40	by Dimensions	solvent cement - tapered socket	Light Grey	24 Feb 2016
50*40 LEVEL INVERT TAPER F/F	50*40 LEVEL INVERT TAPER F/F	HOLMAN / KIWIPLAS	50*40 LEVEL INVERT TAPER F/F	LEVEL INVERT TAPER	DN50*DN40	by Dimensions	solvent cement - tapered socket	Light Grey	28 Oct 2016
50*40 LEVEL INVERT TAPER F/F	50*40 LEVEL INVERT TAPER F/F	BUILDRITE / MAAT	50*40 LEVEL INVERT TAPER F/F	LEVEL INVERT TAPER	DN50*DN40	by Dimensions	solvent cement - tapered socket	Light Grey	10 Apr 2017
50*40 SOCKET REDUCER F/F	50*40 SOCKET REDUCER F/F	ERA/BUTT HEAD	50*40 SOCKET REDUCER F/F	SOCKET REDUCER	DN50*DN40	by Dimensions	solvent cement - tapered socket	Light Grey	24 Feb 2016
50*40 SOCKET REDUCER F/F	50*40 SOCKET REDUCER F/F	BUILDRITE / MAAT	50*40 SOCKET REDUCER F/F	SOCKET REDUCER	DN50*DN40	by Dimensions	solvent cement - tapered socket	Light Grey	10 Apr 2017
50*40 SOCKET REDUCER F/F	50*40 SOCKET REDUCER F/F	HOLMAN / KIWIPLAS	50*40 SOCKET REDUCER F/F	SOCKET REDUCER	DN50*DN40	by Dimensions	solvent cement - tapered socket	Light Grey	28 Oct 2016

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules



Registered by:

The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
65*40 LEVEL INVERT TAPER F/F	65*40 LEVEL INVERT TAPER F/F	BUILDRI TE / MAAT	65*40 LEVEL INVERT TAPER F/F	LEVEL INVERT TAPER	DN65*DN4 0	by Dimension s	solvent cement - tapere d socket	Light Grey	10 Apr 2017
65*40 LEVEL INVERT TAPER F/F	65*40 LEVEL INVERT TAPER F/F	ERA/BU TT HEAD	65*40 LEVEL INVERT TAPER F/F	LEVEL INVERT TAPER	DN65*DN4 0	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016
65*40 LEVEL INVERT TAPER F/F	65*40 LEVEL INVERT TAPER F/F	HOLMAN / KIWIPLA S	65*40 LEVEL INVERT TAPER F/F	LEVEL INVERT TAPER	DN65*DN4 0	by Dimension s	solvent cement - tapere d socket	Light Grey	28 Oct 2016
65*40 SOCKET REDUCER F/F	65*40 SOCKET REDUCER F/F	HOLMAN / KIWIPLA S	65*40 SOCKET REDUCER F/F	SOCKET REDUCER	DN65*DN4 0	by Dimension s	solvent cement - tapere d socket	Light Grey	28 Oct 2016
65*40 SOCKET REDUCER F/F	65*40 SOCKET REDUCER F/F	BUILDRI TE / MAAT	65*40 SOCKET REDUCER F/F	SOCKET REDUCER	DN65*DN4 0	by Dimension s	solvent cement - tapere d socket	Light Grey	10 Apr 2017
65*40 SOCKET REDUCER F/F	65*40 SOCKET REDUCER F/F	ERA/BU TT HEAD	65*40 SOCKET REDUCER F/F	SOCKET REDUCER	DN65*DN4 0	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016
65*50 LEVEL INVERT TAPER F/F	65*50 LEVEL INVERT TAPER F/F	ERA/BU TT HEAD	65*50 LEVEL INVERT TAPER F/F	LEVEL INVERT TAPER	DN65*DN5 0	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016
65*50 LEVEL INVERT TAPER F/F	65*50 LEVEL INVERT TAPER F/F	HOLMAN / KIWIPLA S	65*50 LEVEL INVERT TAPER F/F	LEVEL INVERT TAPER	DN65*DN5 0	by Dimension s	solvent cement - tapere d socket	Light Grey	28 Oct 2016

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules



Registered by:

The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
65*50 LEVEL INVERT TAPER F/F	65*50 LEVEL INVERT TAPER F/F	BUILDRI TE / MAAT	65*50 LEVEL INVERT TAPER F/F	LEVEL INVERT TAPER	DN65*DN5 0	by Dimension s	solvent cement - tapere d socket	Light Grey	10 Apr 2017
65*50 SOCKET REDUCER F/F	65*50 SOCKET REDUCER F/F	BUILDRI TE / MAAT	65*50 SOCKET REDUCER F/F	SOCKET REDUCER	DN65*DN5 0	by Dimension s	solvent cement - tapere d socket	Light Grey	10 Apr 2017
65*50 SOCKET REDUCER F/F	65*50 SOCKET REDUCER F/F	HOLMAN / KIWIPLA S	65*50 SOCKET REDUCER F/F	SOCKET REDUCER	DN65*DN5 0	by Dimension s	solvent cement - tapere d socket	Light Grey	28 Oct 2016
65*50 SOCKET REDUCER F/F	65*50 SOCKET REDUCER F/F	ERA/BU TT HEAD	65*50 SOCKET REDUCER F/F	SOCKET REDUCER	DN65*DN5 0	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016
80*50 FOUR WAY RISER	80*50 FOUR WAY RISER	ERA/BU TT HEAD	80*50 FOUR WAY RISER	FOUR WAY RISER	DN80*DN5 0	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016
80*50 FOUR WAY RISER	80*50 FOUR WAY RISER	HOLMAN / KIWIPLA S	80*50 FOUR WAY RISER	FOUR WAY RISER	DN80*DN5 0	by Dimension s	solvent cement - tapere d socket	Light Grey	28 Oct 2016
80*50 FOUR WAY RISER	80*50 FOUR WAY RISER	BUILDRI TE / MAAT	80*50 FOUR WAY RISER	FOUR WAY RISER	DN80*DN5 0	by Dimension s	solvent cement - tapere d socket	Light Grey	10 Apr 2017
80*50 LEVEL INVERT TAPER F/F	80*50 LEVEL INVERT TAPER F/F	BUILDRI TE / MAAT	80*50 LEVEL INVERT TAPER F/F	LEVEL INVERT TAPER	DN80*DN5 0	by Dimension s	solvent cement - tapere d socket	Light Grey	10 Apr 2017

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules



Registered by:

The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
80*50 LEVEL INVERT TAPER F/F	80*50 LEVEL INVERT TAPER F/F	HOLMAN / KIWIPLAS	80*50 LEVEL INVERT TAPER F/F	LEVEL INVERT TAPER	DN80*DN50	by Dimension s	solvent cement - tapere d socket	Light Grey	28 Oct 2016
80*50 LEVEL INVERT TAPER F/F	80*50 LEVEL INVERT TAPER F/F	ERA/BU TT HEAD	80*50 LEVEL INVERT TAPER F/F	LEVEL INVERT TAPER	DN80*DN50	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016
80*50 SOCKET REDUCER F/F	80*50 SOCKET REDUCER F/F	ERA/BU TT HEAD	80*50 SOCKET REDUCER F/F	SOCKET REDUCER	DN80*DN50	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016
80*50 SOCKET REDUCER F/F	80*50 SOCKET REDUCER F/F	BUILDRI TE / MAAT	80*50 SOCKET REDUCER F/F	SOCKET REDUCER	DN80*DN50	by Dimension s	solvent cement - tapere d socket	Light Grey	10 Apr 2017
80*50 SOCKET REDUCER F/F	80*50 SOCKET REDUCER F/F	HOLMAN / KIWIPLAS	80*50 SOCKET REDUCER F/F	SOCKET REDUCER	DN80*DN50	by Dimension s	solvent cement - tapere d socket	Light Grey	28 Oct 2016
80*65 FLOOR WASTE GULLY	80*65 FLOOR WASTE GULLY	HOLMAN / KIWIPLAS	80*65 FLOOR WASTE GULLY	FLOOR WASTE GULLY	DN80*DN65	by Dimension s	solvent cement - tapere d socket	Light Grey	28 Oct 2016
80*65 FLOOR WASTE GULLY	80*65 FLOOR WASTE GULLY	BUILDRI TE / MAAT	80*65 FLOOR WASTE GULLY	FLOOR WASTE GULLY	DN80*DN65	by Dimension s	solvent cement - tapere d socket	Light Grey	10 Apr 2017
80*65 FLOOR WASTE GULLY	80*65 FLOOR WASTE GULLY	ERA/BU TT HEAD	80*65 FLOOR WASTE GULLY	FLOOR WASTE GULLY	DN80*DN65	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules



Registered by:

The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
80*65 LEVEL INVERT TAPER F/F	80*65 LEVEL INVERT TAPER F/F	BUILDRI TE / MAAT	80*65 LEVEL INVERT TAPER F/F	LEVEL INVERT TAPER	DN80*DN6 5	by Dimension s	solvent cement - tapere d socket	Light Grey	10 Apr 2017
80*65 LEVEL INVERT TAPER F/F	80*65 LEVEL INVERT TAPER F/F	HOLMAN / KIWIPLA S	80*65 LEVEL INVERT TAPER F/F	LEVEL INVERT TAPER	DN80*DN6 5	by Dimension s	solvent cement - tapere d socket	Light Grey	28 Oct 2016
80*65 LEVEL INVERT TAPER F/F	80*65 LEVEL INVERT TAPER F/F	ERA/BU TT HEAD	80*65 LEVEL INVERT TAPER F/F	LEVEL INVERT TAPER	DN80*DN6 5	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016
80*65 SOCKET REDUCER F/F	80*65 SOCKET REDUCER F/F	HOLMAN / KIWIPLA S	80*65 SOCKET REDUCER F/F	SOCKET REDUCER	DN80*DN6 5	by Dimension s	solvent cement - tapere d socket	Light Grey	28 Oct 2016
80*65 SOCKET REDUCER F/F	80*65 SOCKET REDUCER F/F	ERA/BU TT HEAD	80*65 SOCKET REDUCER F/F	SOCKET REDUCER	DN80*DN6 5	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016
80*65 SOCKET REDUCER F/F	80*65 SOCKET REDUCER F/F	BUILDRI TE / MAAT	80*65 SOCKET REDUCER F/F	SOCKET REDUCER	DN80*DN6 5	by Dimension s	solvent cement - tapere d socket	Light Grey	10 Apr 2017
AUD001 Off Set Pan Collar 20°	AUD001 Off Set Pan Collar 20°	ERA, BUTT- HEAD, HOLMAN KIWIPLA S, BUILDRI TE, MAAT	AUD001 Off Set Pan Collar 20°	PAN CONNECT OR	100	by Dimension s	Socket end	Light grey	27 Feb 2018

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules



Registered by:

The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
AUD002 Off Set Pan Collar	AUD002 Off Set Pan Collar	ERA, BUTT- HEAD, HOLMAN , KIWIPLA S, BUILDRI TE, MAAT	AUD002 Off Set Pan Collar	PAN CONNECT OR	100	by Dimension s	Socket end	Light grey	27 Feb 2018
AUDC01 ACCESS COUPLIN G	AUDC01 ACCESS COUPLIN G	ERA, BUTT- HEAD, HOLMAN , KIWIPLA S, BUILDRI TE, MAAT	AUDC01 ACCESS COUPLIN G	COUPLIN G FOR THREADE D CAP	150	by Dimension s	solvent cement - tapere d socket	Light grey	27 Feb 2018
AUDC03 Coupling with rubber	AUDC03 Coupling with rubber	ERA, BUTT- HEAD, HOLMAN , KIWIPLA S, BUILDRI TE, MAAT	AUDC03 Coupling with rubber	SLIP COUPLIN G	100	by Dimension s	Socket end	Light grey	27 Feb 2018
AUDC03 Coupling with rubber	AUDC03 Coupling with rubber	ERA, BUTT- HEAD, HOLMAN , KIWIPLA S, BUILDRI TE, MAAT	AUDC03 Coupling with rubber	SLIP COUPLIN G	150	by Dimension s	Socket end	Light grey	27 Feb 2018

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules



Registered by:

The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
AUDC04 Long Coupling	AUDC04 Long Coupling	ERA, BUTT- HEAD, HOLMAN , KIWIPLA S, BUILDRI TE, MAAT	AUDC04 Long Coupling	EXPANSI ON COUPLIN G	100	by Dimension s	solvent cement - tapere d socket	Light grey	27 Feb 2018
AUDD02 Diamond Floor Drain	AUDD02 Diamond Floor Drain	ERA, BUTT- HEAD, HOLMAN , KIWIPLA S, BUILDRI TE, MAAT	AUDD02 Diamond Floor Drain	FLOOR DRAIN	100	by Dimension s	Spigot end	Light grey	27 Feb 2018
AUDD03 Round Floor Drain	AUDD03 Round Floor Drain	ERA, BUTT- HEAD, HOLMAN , KIWIPLA S, BUILDRI TE, MAAT	AUDD03 Round Floor Drain	FLOOR DRAIN	100	by Dimension s	Spigot end	Light grey	27 Feb 2018
AUDD04 Square Floor Drain	AUDD04 Square Floor Drain	ERA, BUTT- HEAD, HOLMAN , KIWIPLA S, BUILDRI TE, MAAT	AUDD04 Square Floor Drain	FLOOR DRAIN	100	by Dimension s	Spigot end	Light grey	27 Feb 2018

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules



Registered by:

The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
AUDE01 88°BEND	AUDE01 88°BEND	ERA, BUTT- HEAD, HOLMAN , KIWIPLA S, BUILDRI TE, MAAT	AUDE01 88°BEND	BEND	150	by Dimension s	solvent cement - tapere d socket	Light grey	27 Feb 2018
AUDE011 15° BEND	AUDE011 15° BEND	ERA, BUTT- HEAD, HOLMAN , KIWIPLA S, BUILDRI TE, MAAT	AUDE011 15° BEND	BEND	100	by Dimension s	solvent cement - tapere d socket	Light grey	27 Feb 2018
AUDE012 30° BEND	AUDE012 30° BEND	ERA, BUTT- HEAD, HOLMAN , KIWIPLA S, BUILDRI TE, MAAT	AUDE012 30° BEND	BEND	100	by Dimension s	solvent cement - tapere d socket	Light grey	27 Feb 2018
AUDE013 15° BEND M/F	AUDE013 15° BEND M/F	ERA, BUTT- HEAD, HOLMAN , KIWIPLA S, BUILDRI TE, MAAT	AUDE013 15° BEND M/F	BEND	100	by Dimension s	solvent cement - tapere d socket	Light grey	27 Feb 2018

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules



Registered by:

The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
AUDE014 22° BEND M/F	AUDE014 22° BEND M/F	ERA, BUTT- HEAD, HOLMAN , KIWIPLA S, BUILDRI TE, MAAT	AUDE014 22° BEND M/F	BEND	100	by Dimension s	solvent cement - tapere d socket	Light grey	27 Feb 2018
AUDE015 11° BEND M/F	AUDE015 11° BEND M/F	ERA, BUTT- HEAD, HOLMAN , KIWIPLA S, BUILDRI TE, MAAT	AUDE015 11° BEND M/F	BEND	100	by Dimension s	solvent cement - tapere d socket	Light grey	27 Feb 2018
AUDE03 45° BEND	AUDE03 45° BEND	ERA, BUTT- HEAD, HOLMAN , KIWIPLA S, BUILDRI TE, MAAT	AUDE03 45° BEND	BEND	150	by Dimension s	solvent cement - tapere d socket	Light grey	27 Feb 2018
AUDE07 90° Bend M/F	AUDE07 90° Bend M/F	ERA, BUTT- HEAD, HOLMAN , KIWIPLA S, BUILDRI TE, MAAT	AUDE07 90° Bend M/F	BEND	40	by Dimension s	solvent cement - tapere d socket	Light grey	27 Feb 2018

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules



Registered by:

The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
AUDE07 90° Bend M/F	AUDE07 90° Bend M/F	ERA, BUTT- HEAD, HOLMAN , KIWIPLA S, BUILDRI TE, MAAT	AUDE07 90° Bend M/F	BEND	50	by Dimension s	solvent cement - tapere d socket	Light grey	27 Feb 2018
AUDE08 45° Reducing Bend	AUDE08 45° Reducing Bend	ERA, BUTT- HEAD, HOLMAN , KIWIPLA S, BUILDRI TE, MAAT	AUDE08 45° Reducing Bend	REDUCIN G BEND	50*40	by Dimension s	solvent cement - tapere d socket	Light grey	27 Feb 2018
AUDE09 5° BEND	AUDE09 5° BEND	ERA, BUTT- HEAD, HOLMAN , KIWIPLA S, BUILDRI TE, MAAT	AUDE09 5° BEND	BEND	100	by Dimension s	solvent cement - tapere d socket	Light grey	27 Feb 2018
AUDF02 Flange	AUDF02 Flange	ERA, BUTT- HEAD, HOLMAN , KIWIPLA S, BUILDRI TE, MAAT	AUDF02 Flange	FLANGE	100	by Dimension s	solvent cement - tapere d socket	Light grey	27 Feb 2018

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules



Registered by:

The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
AUDR02 LEVEL INVERT TAPER	AUDR02 LEVEL INVERT TAPER	ERA, BUTT- HEAD, HOLMAN KIWIPLA S, BUILDRI TE, MAAT	AUDR02 LEVEL INVERT TAPER	ECCENTR IC TAPER	150x100	by Dimension s	solvent cement - tapere d socket	Light grey	27 Feb 2018
AUDR03 SOCKET REDUCER M/F	AUDR03 SOCKET REDUCER M/F	ERA, BUTT- HEAD, HOLMAN KIWIPLA S, BUILDRI TE, MAAT	AUDR03 SOCKET REDUCER M/F	SOCKET REDUCER	100*80	by Dimension s	solvent cement - tapere d socket	Light grey	27 Feb 2018
AUDR03 SOCKET REDUCER M/F	AUDR03 SOCKET REDUCER M/F	ERA, BUTT- HEAD, HOLMAN KIWIPLA S, BUILDRI TE, MAAT	AUDR03 SOCKET REDUCER M/F	SOCKET REDUCER	50*40	by Dimension s	solvent cement - tapere d socket	Light grey	27 Feb 2018
AUDR04 Reducing Coupling	AUDR04 Reducing Coupling	ERA, BUTT- HEAD, HOLMAN KIWIPLA S, BUILDRI TE, MAAT	AUDR04 Reducing Coupling	REDUCIN G COUPLIN G	100	by Dimension s	solvent cement - tapere d socket	Light grey	27 Feb 2018

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules

Registered by:



The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
AUDT011 REDUCING TEE	AUDT011 REDUCING TEE	ERA, BUTT- HEAD, HOLMAN , KIWIPLA S, BUILDRI TE, MAAT	AUDT011 REDUCING TEE	45° JUNCTION	150x100	by Dimension s	solvent cement - tapere d socket	Light grey	27 Feb 2018
AUDT012 88° JUNCTION	AUDT012 88° JUNCTION	ERA, BUTT- HEAD, HOLMAN , KIWIPLA S, BUILDRI TE, MAAT	AUDT012 88° JUNCTION	SWEEP JUNCTION	150	by Dimension s	solvent cement - tapere d socket	Light grey	27 Feb 2018
AUDT013 45° JUNCTION	AUDT013 45° JUNCTION	ERA, BUTT- HEAD, HOLMAN , KIWIPLA S, BUILDRI TE, MAAT	AUDT013 45° JUNCTION	45° JUNCTION	150	by Dimension s	solvent cement - tapere d socket	Light grey	27 Feb 2018
AUDW01 END CAP	AUDW01 END CAP	ERA, BUTT- HEAD, HOLMAN , KIWIPLA S, BUILDRI TE, MAAT	AUDW01 END CAP	CAP	150	by Dimension s	solvent cement - tapere d socket	Light grey	27 Feb 2018

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules



Registered by:

The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
AUDW03 THREAD END CAP	AUDW03 THREAD END CAP	ERA, BUTT- HEAD, HOLMAN KIWIPLA S, BUILDRI TE, MAAT	AUDW03 THREAD END CAP	THREADED CAP	150	by Dimension s	Thread ed end	Light grey	27 Feb 2018
AUDW04 Cover Planle	AUDW04 Cover Planle	ERA, BUTT- HEAD, HOLMAN KIWIPLA S, BUILDRI TE, MAAT	AUDW04 Cover Planle	COVER PLANLE	100	by Dimension s	solvent cement - tapere d socket	Light grey	27 Feb 2018
DN100 88°BEND RIGHT SIDE ACCESS F/F	DN100 88°BEND RIGHT SIDE ACCESS F/F	HOLMAN / KIWIPLA S / ERA / BUTT HEAD / BUILDRI TE / MAAT	DN100 88°BEND RIGHT SIDE ACCESS F/F	BEND SIDE ACCESS	DN100	SN6	solvent cement - tapere d socket	Light Grey	9 Jun 2017
DN100 FLOOR WASTE GULLY	DN100 FLOOR WASTE GULLY	ERA/BU TT HEAD	DN100 FLOOR WASTE GULLY	FLOOR WASTE GULLY	DN100	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016
DN100 FLOOR WASTE GULLY	DN100 FLOOR WASTE GULLY	HOLMAN / KIWIPLA S	DN100 FLOOR WASTE GULLY	FLOOR WASTE GULLY	DN100	SN6	solvent cement - tapere d socket	Light Grey	28 Oct 2016
DN100 FLOOR WASTE GULLY	DN100 FLOOR WASTE GULLY	BUILDRI TE / MAAT	DN100 FLOOR WASTE GULLY	FLOOR WASTE GULLY	DN100	SN6	solvent cement - tapere d socket	Light Grey	10 Apr 2017

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules



Registered by:

The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
DN100 45°BEND F/F	DN100 45°BEND F/F	HOLMAN / KIWIPLAS	DN100 45°BEND F/F	BEND	DN100	SN6	solvent cement - tapere d socket	Light Grey	28 Oct 2016
DN100 45°BEND F/F	DN100 45°BEND F/F	ERA/BU TT HEAD	DN100 45°BEND F/F	BEND	DN100	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016
DN100 45°BEND F/F	DN100 45°BEND F/F	BUILDRI TE / MAAT	DN100 45°BEND F/F	BEND	DN100	SN6	solvent cement - tapere d socket	Light Grey	10 Apr 2017
DN100 45°BEND M/F	DN100 45°BEND M/F	ERA/BU TT HEAD	DN100 45°BEND M/F	BEND	DN100	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016
DN100 45°BEND M/F	DN100 45°BEND M/F	HOLMAN / KIWIPLAS	DN100 45°BEND M/F	BEND	DN100	SN6	solvent cement - tapere d socket	Light Grey	28 Oct 2016
DN100 45°BEND M/F	DN100 45°BEND M/F	BUILDRI TE / MAAT	DN100 45°BEND M/F	BEND	DN100	SN6	solvent cement - tapere d socket	Light Grey	10 Apr 2017
DN100 45°BEND SIDE ACCESS F/F	DN100 45°BEND SIDE ACCESS F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRI TE / MAAT	DN100 45°BEND SIDE ACCESS F/F	BEND SIDE ACCESS	DN100	SN6	solvent cement - tapere d socket	Light Grey	9 Jun 2017

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules



Registered by:

The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
DN100 45°JUNCTION F/F WITH ONE THREAD END	DN100 45°JUNCTION F/F WITH ONE THREAD END	BUILDRI TE / MAAT	DN100 45°JUNCTION F/F WITH ONE THREAD END	JUNCTION	DN100	SN6	solvent cement - tapere d socket	Light Grey	10 Apr 2017
DN100 45°JUNCTION F/F WITH ONE THREAD END	DN100 45°JUNCTION F/F WITH ONE THREAD END	ERA/BU TT HEAD	DN100 45°JUNCTION F/F WITH ONE THREAD END	JUNCTION	DN100	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016
DN100 45°JUNCTION F/F WITH ONE THREAD END	DN100 45°JUNCTION F/F WITH ONE THREAD END	HOLMAN / KIWIPLA S	DN100 45°JUNCTION F/F WITH ONE THREAD END	JUNCTION	DN100	SN6	solvent cement - tapere d socket	Light Grey	28 Oct 2016
DN100 45°JUNCTION M/F	DN100 45°JUNCTION M/F	ERA/BU TT HEAD	DN100 45°JUNCTION M/F	JUNCTION	DN100	by Dimension s	solvent cement - tapere d socket	Light Grey	16 Sep 2016
DN100 45°JUNCTION M/F	DN100 45°JUNCTION M/F	BUILDRI TE / MAAT	DN100 45°JUNCTION M/F	JUNCTION	DN100	SN6	solvent cement - tapere d socket	Light Grey	10 Apr 2017
DN100 45°JUNCTION M/F	DN100 45°JUNCTION M/F	HOLMAN / KIWIPLA S	DN100 45°JUNCTION M/F	JUNCTION	DN100	SN6	solvent cement - tapere d socket	Light Grey	28 Oct 2016
DN100 45°SIDE ACCESS JUNCTION LEFT F/F	DN100 45°SIDE ACCESS JUNCTION LEFT F/F	HOLMAN / KIWIPLA S / ERA / BUTT HEAD / BUILDRI TE / MAAT	DN100 45°SIDE ACCESS JUNCTION LEFT F/F	SIDE ACCESS JUNCTION LEFT	DN100	SN6	solvent cement - tapere d socket	Light Grey	9 Jun 2017

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules

Registered by:



The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
DN100 45°SIDE ACCESS JUNCTION RIGHT F/F	DN100 45°SIDE ACCESS JUNCTION RIGHT F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRI TE / MAAT	DN100 45°SIDE ACCESS JUNCTION RIGHT F/F	SIDE ACCESS JUNCTIO N RIGHT	DN100	SN6	solvent cement - tapere d socket	Light Grey	9 Jun 2017
DN100 88°BEND F/F	DN100 88°BEND F/F	BUILDRI TE / MAAT	DN100 88°BEND F/F	BEND	DN100	SN6	solvent cement - tapere d socket	Light Grey	10 Apr 2017
DN100 88°BEND F/F	DN100 88°BEND F/F	ERA/BU TT HEAD	DN100 88°BEND F/F	BEND	DN100	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016
DN100 88°BEND F/F	DN100 88°BEND F/F	HOLMAN / KIWIPLA S	DN100 88°BEND F/F	BEND	DN100	SN6	solvent cement - tapere d socket	Light Grey	28 Oct 2016
DN100 88°BEND M/F	DN100 88°BEND M/F	HOLMAN / KIWIPLA S	DN100 88°BEND M/F	BEND	DN100	SN6	solvent cement - tapere d socket	Light Grey	28 Oct 2016
DN100 88°BEND M/F	DN100 88°BEND M/F	ERA/BU TT HEAD	DN100 88°BEND M/F	BEND	DN100	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016
DN100 88°BEND M/F	DN100 88°BEND M/F	BUILDRI TE / MAAT	DN100 88°BEND M/F	BEND	DN100	SN6	solvent cement - tapere d socket	Light Grey	10 Apr 2017

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules

Registered by:



The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
DN100 88°BEND SIDE ACCESS F/F	DN100 88°BEND SIDE ACCESS F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRI TE / MAAT	DN100 88°BEND SIDE ACCESS F/F	BEND SIDE ACCESS	DN100	SN6	solvent cement - tapere d socket	Light Grey	9 Jun 2017
DN100 88°JUNCTI ON F/F	DN100 88°JUNCTI ON F/F	BUILDRI TE / MAAT	DN100 88°JUNCTI ON F/F	JUNCTIO N	DN100	SN6	solvent cement - tapere d socket	Light Grey	10 Apr 2017
DN100 88°JUNCTI ON F/F	DN100 88°JUNCTI ON F/F	HOLMAN / KIWIPLAS	DN100 88°JUNCTI ON F/F	JUNCTIO N	DN100	SN6	solvent cement - tapere d socket	Light Grey	28 Oct 2016
DN100 88°JUNCTI ON F/F	DN100 88°JUNCTI ON F/F	ERA/BU TT HEAD	DN100 88°JUNCTI ON F/F	JUNCTIO N	DN100	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016
DN100 88°PLAIN JUNCTION F/F	DN100 88°PLAIN JUNCTION F/F	BUILDRI TE / MAAT	DN100 88°PLAIN JUNCTION F/F	PLAIN JUNCTIO N	DN100	SN6	solvent cement - tapere d socket	Light Grey	10 Apr 2017
DN100 88°PLAIN JUNCTION F/F	DN100 88°PLAIN JUNCTION F/F	HOLMAN / KIWIPLAS	DN100 88°PLAIN JUNCTION F/F	PLAIN JUNCTIO N	DN100	SN6	solvent cement - tapere d socket	Light Grey	28 Oct 2016
DN100 88°PLAIN JUNCTION F/F	DN100 88°PLAIN JUNCTION F/F	ERA/BU TT HEAD	DN100 88°PLAIN JUNCTION F/F	PLAIN JUNCTIO N	DN100	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules



Registered by:

The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
DN100 88°SIDE ACCESS JUNCTION F/F	DN100 88°SIDE ACCESS JUNCTION F/F	HOLMAN / KIWIPLA S / ERA / BUTT HEAD / BUILDRI TE / MAAT	DN100 88°SIDE ACCESS JUNCTION F/F	SIDE ACCESS JUNCTIO N	DN100	SN6	solvent cement - parallel socket	Light Grey	9 Jun 2017
DN100 ACCESS COUPLIN G	DN100 ACCESS COUPLIN G	HOLMAN / KIWIPLA S / ERA / BUTT HEAD / BUILDRI TE / MAAT	DN100 ACCESS COUPLIN G	ACCESS COUPLIN G	DN100	SN6	solvent cement - tapere d socket	Light Grey	9 Jun 2017
DN100 CEREMIC ADAPTOR	DN100 CEREMIC ADAPTOR	BUILDRI TE / MAAT	DN100 CEREMIC ADAPTOR	CEREMIC ADAPTOR	DN100	SN6	solvent cement - tapere d socket	Light Grey	10 Apr 2017
DN100 CEREMIC ADAPTOR	DN100 CEREMIC ADAPTOR	HOLMAN / KIWIPLA S	DN100 CEREMIC ADAPTOR	CEREMIC ADAPTOR	DN100	SN6	solvent cement - tapere d socket	Light Grey	28 Oct 2016
DN100 CEREMIC ADAPTOR	DN100 CEREMIC ADAPTOR	ERA/BU TT HEAD	DN100 CEREMIC ADAPTOR	CEREMIC ADAPTOR	DN100	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016
DN100 DUST CAP	DN100 DUST CAP	HOLMAN / KIWIPLA S / ERA / BUTT HEAD / BUILDRI TE / MAAT	DN100 DUST CAP	DUST CAP	DN100	SN6	solvent cement - tapere d socket	Light Grey	9 Jun 2017

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules



Registered by:

The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
DN100 INSPECTION TEST OPENING F/F	DN100 INSPECTION TEST OPENING F/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	DN100 INSPECTION TEST OPENING F/F	INSPECTION TEST OPENING	DN100	SN6	solvent cement - parallel socket	Light Grey	9 Jun 2017
DN100 INSPECTION TEST OPENING M/F	DN100 INSPECTION TEST OPENING M/F	HOLMAN / KIWIPLAS / ERA / BUTT HEAD / BUILDRITE / MAAT	DN100 INSPECTION TEST OPENING M/F	INSPECTION TEST OPENING	DN100	SN6	solvent cement - tapered socket	Light Grey	9 Jun 2017
DN100 PVC Pipes for Drainage	PVC Pipes for Drainage	BUILDRITE / MAAT	DN100	PVC Pipes for Drainage	DN100	SN4	solvent weld	Light Grey	10 Apr 2017
DN100 PVC Pipes for Drainage	PVC Pipes for Drainage	BUTT HEAD	DN100	PVC Pipes for Drainage	DN100	SN6	solvent weld	Light Grey	28 Oct 2016
DN100 PVC Pipes for Drainage	PVC Pipes for Drainage	BUILDRITE / MAAT	DN100	PVC Pipes for Drainage	DN100	SN6	solvent weld	Light Grey	10 Apr 2017
DN100 PVC Pipes for Drainage	PVC Pipes for Drainage	ERA	PVC Pipes for Drainage	DN 100 PVC Pipes for Drainage	DN100	SN4	solvent cement	Light Grey	21 Jul 2016
DN100 PVC Pipes for Drainage	PVC Pipes for Drainage	BUTT HEAD	DN100	PVC Pipes for Drainage	DN100	SN4	solvent weld	Light Grey	28 Oct 2016
DN100 PVC Pipes for Drainage	PVC Pipes for Drainage	ERA	PVC Pipes for Drainage	DN 100 PVC Pipes for Drainage	DN100	SN6	solvent cement	Light Grey	21 Jul 2016
DN100 PVC Pipes for Drainage	PVC Pipes for Drainage	HOLMAN / KIWIPLAS	DN100	PVC Pipes for Drainage	DN100	SN4	solvent weld	Light Grey	28 Oct 2016

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules



Registered by:

The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
DN100 PVC Pipes for Drainage	PVC Pipes for Drainage	HOLMAN / KIWIPLAS	DN100	PVC Pipes for Drainage	DN100	SN6	solvent weld	Light Grey	28 Oct 2016
DN150 PVC Pipes for Drainage	PVC Pipes for Drainage	BUTT HEAD	DN150	PVC Pipes for Drainage	DN150	SN4	solvent weld	Light Grey	28 Oct 2016
DN150 PVC Pipes for Drainage	PVC Pipes for Drainage	BUTT HEAD	DN150	PVC Pipes for Drainage	DN150	SN8	solvent weld	Light Grey	28 Oct 2016
DN150 PVC Pipes for Drainage	PVC Pipes for Drainage	ERA	PVC Pipes for Drainage	DN 150 PVC Pipes for Drainage	DN150	SN8	solvent cement	Light Grey	21 Jul 2016
DN150 PVC Pipes for Drainage	PVC Pipes for Drainage	ERA	PVC Pipes for Drainage	DN 150 PVC Pipes for Drainage	DN150	SN4	solvent cement	Light Grey	21 Jul 2016
DN150 PVC Pipes for Drainage	PVC Pipes for Drainage	BUILDRI TE / MAAT	DN150	PVC Pipes for Drainage	DN150	SN4	solvent weld	Light Grey	10 Apr 2017
DN150 PVC Pipes for Drainage	PVC Pipes for Drainage	BUILDRI TE / MAAT	DN150	PVC Pipes for Drainage	DN150	SN8	solvent weld	Light Grey	10 Apr 2017
DN150 PVC Pipes for Drainage	PVC Pipes for Drainage	HOLMAN / KIWIPLAS	DN150	PVC Pipes for Drainage	DN150	SN4	solvent weld	Light Grey	28 Oct 2016
DN150 PVC Pipes for Drainage	PVC Pipes for Drainage	HOLMAN / KIWIPLAS	DN150	PVC Pipes for Drainage	DN150	SN8	solvent weld	Light Grey	28 Oct 2016
DN40 COUPLIN G F/F	DN40 COUPLIN G F/F	ERA/BU TT HEAD	DN40 COUPLIN G F/F	COUPLIN G	DN40	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules



Registered by:

The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
DN40 COUPLING F/F	DN40 COUPLING F/F	HOLMAN / KIWIPLAS	DN40 COUPLING F/F	COUPLING	DN40	by Dimensions	solvent cement - tapered socket	Light Grey	28 Oct 2016
DN40 COUPLING F/F	DN40 COUPLING F/F	BUILDRITE / MAAT	DN40 COUPLING F/F	COUPLING	DN40	by Dimensions	solvent cement - tapered socket	Light Grey	10 Apr 2017
DN40 IRON CONNECTOR MALE	DN40 IRON CONNECTOR MALE	BUILDRITE / MAAT	DN40 IRON CONNECTOR MALE	IRON CONNECTOR MALE	DN40	by Dimensions	solvent cement - tapered socket	Light Grey	10 Apr 2017
DN40 IRON CONNECTOR MALE	DN40 IRON CONNECTOR MALE	ERA/BUTT HEAD	DN40 IRON CONNECTOR MALE	IRON CONNECTOR MALE	DN40	by Dimensions	solvent cement - tapered socket	Light Grey	24 Feb 2016
DN40 IRON CONNECTOR MALE	DN40 IRON CONNECTOR MALE	HOLMAN / KIWIPLAS	DN40 IRON CONNECTOR MALE	IRON CONNECTOR MALE	DN40	by Dimensions	solvent cement - tapered socket	Light Grey	28 Oct 2016
DN40 45°BEND F/F	DN40 45°BEND F/F	BUILDRITE / MAAT	DN40 45°BEND F/F	BEND	DN40	by Dimensions	solvent cement - tapered socket	Light Grey	10 Apr 2017
DN40 45°BEND F/F	DN40 45°BEND F/F	ERA/BUTT HEAD	DN40 45°BEND F/F	BEND	DN40	by Dimensions	solvent cement - tapered socket	Light Grey	24 Feb 2016
DN40 45°BEND F/F	DN40 45°BEND F/F	HOLMAN / KIWIPLAS	DN40 45°BEND F/F	BEND	DN40	by Dimensions	solvent cement - tapered socket	Light Grey	28 Oct 2016

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules

Registered by:



The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
DN40 45°BEND M/F	DN40 45°BEND M/F	ERA/BU TT HEAD	DN40 45°BEND M/F	BEND	DN40	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016
DN40 45°BEND M/F	DN40 45°BEND M/F	BUILDRI TE / MAAT	DN40 45°BEND M/F	BEND	DN40	by Dimension s	solvent cement - tapere d socket	Light Grey	10 Apr 2017
DN40 45°BEND M/F	DN40 45°BEND M/F	HOLMAN / KIWIPLA S	DN40 45°BEND M/F	BEND	DN40	by Dimension s	solvent cement - tapere d socket	Light Grey	28 Oct 2016
DN40 45°JUNCTI ON F/F	DN40 45°JUNCTI ON F/F	HOLMAN / KIWIPLA S	DN40 45°JUNCTI ON F/F	JUNCTIO N	DN40	by Dimension s	solvent cement - tapere d socket	Light Grey	28 Oct 2016
DN40 45°JUNCTI ON F/F	DN40 45°JUNCTI ON F/F	BUILDRI TE / MAAT	DN40 45°JUNCTI ON F/F	JUNCTIO N	DN40	by Dimension s	solvent cement - tapere d socket	Light Grey	10 Apr 2017
DN40 45°JUNCTI ON F/F	DN40 45°JUNCTI ON F/F	ERA/BU TT HEAD	DN40 45°JUNCTI ON F/F	JUNCTIO N	DN40	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016
DN40 88°BEND F/F	DN40 88°BEND F/F	BUILDRI TE / MAAT	DN40 88°BEND F/F	BEND	DN40	by Dimension s	solvent cement - tapere d socket	Light Grey	10 Apr 2017
DN40 88°BEND F/F	DN40 88°BEND F/F	ERA/BU TT HEAD	DN40 88°BEND F/F	BEND	DN40	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules

Registered by:



The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
DN40 88°BEND F/F	DN40 88°BEND F/F	HOLMAN / KIWIPLAS	DN40 88°BEND F/F	BEND	DN40	by Dimension s	solvent cement - tapere d socket	Light Grey	28 Oct 2016
DN40 88°BEND M/F	DN40 88°BEND M/F	HOLMAN / KIWIPLAS	DN40 88°BEND M/F	BEND	DN40	by Dimension s	solvent cement - tapere d socket	Light Grey	28 Oct 2016
DN40 88°BEND M/F	DN40 88°BEND M/F	BUILDRI TE / MAAT	DN40 88°BEND M/F	BEND	DN40	by Dimension s	solvent cement - tapere d socket	Light Grey	10 Apr 2017
DN40 88°BEND M/F	DN40 88°BEND M/F	ERA/BU TT HEAD	DN40 88°BEND M/F	BEND	DN40	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016
DN40 88°BEND SIDE ACCESS F/F	DN40 88°BEND SIDE ACCESS F/F	ERA/BU TT HEAD	DN40 88°BEND SIDE ACCESS F/F	BEND SIDE ACCESS	DN40	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016
DN40 88°BEND SIDE ACCESS F/F	DN40 88°BEND SIDE ACCESS F/F	BUILDRI TE / MAAT	DN40 88°BEND SIDE ACCESS F/F	BEND SIDE ACCESS	DN40	by Dimension s	solvent cement - tapere d socket	Light Grey	10 Apr 2017
DN40 88°BEND SIDE ACCESS F/F	DN40 88°BEND SIDE ACCESS F/F	HOLMAN / KIWIPLAS	DN40 88°BEND SIDE ACCESS F/F	BEND SIDE ACCESS	DN40	by Dimension s	solvent cement - tapere d socket	Light Grey	28 Oct 2016
DN40 88°JUNCTI ON F/F	DN40 88°JUNCTI ON F/F	BUILDRI TE / MAAT	DN40 88°JUNCTI ON F/F	JUNCTIO N	DN40	by Dimension s	solvent cement - tapere d socket	Light Grey	10 Apr 2017

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules

Registered by:



The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
DN40 88°JUNCTION F/F	DN40 88°JUNCTION F/F	HOLMAN / KIWIPLAS	DN40 88°JUNCTION F/F	JUNCTION	DN40	by Dimensions	solvent cement - tapered socket	Light Grey	28 Oct 2016
DN40 88°JUNCTION F/F	DN40 88°JUNCTION F/F	ERA/BUTT HEAD	DN40 88°JUNCTION F/F	JUNCTION	DN40	by Dimensions	solvent cement - tapered socket	Light Grey	24 Feb 2016
DN40 DUST CAP	DN40 DUST CAP	BUILDRITE / MAAT	DN40 DUST CAP	DUST CAP	DN40	by Dimensions	solvent cement - tapered socket	Light Grey	10 Apr 2017
DN40 DUST CAP	DN40 DUST CAP	ERA/BUTT HEAD	DN40 DUST CAP	DUST CAP	DN40	by Dimensions	solvent cement - tapered socket	Light Grey	24 Feb 2016
DN40 DUST CAP	DN40 DUST CAP	HOLMAN / KIWIPLAS	DN40 DUST CAP	DUST CAP	DN40	by Dimensions	solvent cement - tapered socket	Light Grey	28 Oct 2016
DN40 IRON CONNECTOR FEMALE (PIPE INTO SOCKET END)	DN40 IRON CONNECTOR FEMALE (PIPE INTO SOCKET END)	BUILDRITE / MAAT	DN40 IRON CONNECTOR FEMALE (PIPE INTO SOCKET END)	IRON CONNECTOR FEMALE	DN40	by Dimensions	solvent cement - tapered socket	Light Grey	10 Apr 2017
DN40 IRON CONNECTOR FEMALE (PIPE INTO SOCKET END)	DN40 IRON CONNECTOR FEMALE (PIPE INTO SOCKET END)	HOLMAN / KIWIPLAS	DN40 IRON CONNECTOR FEMALE (PIPE INTO SOCKET END)	IRON CONNECTOR FEMALE	DN40	by Dimensions	solvent cement - tapered socket	Light Grey	28 Oct 2016

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules

Registered by:



The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
DN40 IRON CONNECTOR FEMALE (PIPE INTO SOCKET END)	DN40 IRON CONNECTOR FEMALE (PIPE INTO SOCKET END)	ERA/BUTT HEAD	DN40 IRON CONNECTOR FEMALE (PIPE INTO SOCKET END)	IRON CONNECTOR FEMALE	DN40	by Dimensions	solvent cement - tapered socket	Light Grey	24 Feb 2016
DN40 PVC Pipes for Drainage	PVC Pipes for Drainage	ERA	PVC Pipes for Drainage	DN 40 PVC Pipes for Drainage	DN40	by dimension	solvent cement	Light Grey	5 Jul 2016
DN40 PVC Pipes for Drainage	PVC Pipes for Drainage	BUTT HEAD	DN40	PVC Pipes for Drainage	DN40	by Dimensions	solvent weld	Light Grey	28 Oct 2016
DN40 PVC Pipes for Drainage	PVC Pipes for Drainage	HOLMAN / KIWIPLAS	DN40	PVC Pipes for Drainage	DN40	by Dimensions	solvent weld	Light Grey	28 Oct 2016
DN40 PVC Pipes for Drainage	PVC Pipes for Drainage	BUILDRITE / MAAT	DN40	PVC Pipes for Drainage	DN40	by Dimensions	solvent weld	Light Grey	10 Apr 2017
DN50 COUPLING F/F	DN50 COUPLING F/F	BUILDRITE / MAAT	DN50 COUPLING F/F	COUPLING	DN50	by Dimensions	solvent cement - tapered socket	Light Grey	10 Apr 2017
DN50 COUPLING F/F	DN50 COUPLING F/F	HOLMAN / KIWIPLAS	DN50 COUPLING F/F	COUPLING	DN50	by Dimensions	solvent cement - tapered socket	Light Grey	28 Oct 2016
DN50 COUPLING F/F	DN50 COUPLING F/F	ERA/BUTT HEAD	DN50 COUPLING F/F	COUPLING	DN50	by Dimensions	solvent cement - tapered socket	Light Grey	24 Feb 2016
DN50 IRON CONNECTOR MALE	DN50 IRON CONNECTOR MALE	HOLMAN / KIWIPLAS	DN50 IRON CONNECTOR MALE	IRON CONNECTOR MALE	DN50	by Dimensions	solvent cement - tapered socket	Light Grey	28 Oct 2016

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules

Registered by:



The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
DN50 IRON CONNECTOR MALE	DN50 IRON CONNECTOR MALE	ERA/BUTT HEAD	DN50 IRON CONNECTOR MALE	IRON CONNECTOR MALE	DN50	by Dimensions	solvent cement - tapered socket	Light Grey	24 Feb 2016
DN50 IRON CONNECTOR MALE	DN50 IRON CONNECTOR MALE	BUILDRITE / MAAT	DN50 IRON CONNECTOR MALE	IRON CONNECTOR MALE	DN50	by Dimensions	solvent cement - tapered socket	Light Grey	10 Apr 2017
DN50 45°BEND F/F	DN50 45°BEND F/F	HOLMAN / KIWIPLAS	DN50 45°BEND F/F	BEND	DN50	by Dimensions	solvent cement - tapered socket	Light Grey	28 Oct 2016
DN50 45°BEND F/F	DN50 45°BEND F/F	BUILDRITE / MAAT	DN50 45°BEND F/F	BEND	DN50	by Dimensions	solvent cement - tapered socket	Light Grey	10 Apr 2017
DN50 45°BEND F/F	DN50 45°BEND F/F	ERA/BUTT HEAD	DN50 45°BEND F/F	BEND	DN50	by Dimensions	solvent cement - tapered socket	Light Grey	24 Feb 2016
DN50 45°BEND M/F	DN50 45°BEND M/F	BUILDRITE / MAAT	DN50 45°BEND M/F	BEND	DN50	by Dimensions	solvent cement - tapered socket	Light Grey	10 Apr 2017
DN50 45°BEND M/F	DN50 45°BEND M/F	HOLMAN / KIWIPLAS	DN50 45°BEND M/F	BEND	DN50	by Dimensions	solvent cement - tapered socket	Light Grey	28 Oct 2016
DN50 45°BEND M/F	DN50 45°BEND M/F	ERA/BUTT HEAD	DN50 45°BEND M/F	BEND	DN50	by Dimensions	solvent cement - tapered socket	Light Grey	24 Feb 2016

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules

Registered by:



The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
DN50 45°JUNCTION F/F	DN50 45°JUNCTION F/F	ERA/BUTT HEAD	DN50 45°JUNCTION F/F	JUNCTION	DN50	by Dimensions	solvent cement - tapered socket	Light Grey	24 Feb 2016
DN50 45°JUNCTION F/F	DN50 45°JUNCTION F/F	BUILDRITE / MAAT	DN50 45°JUNCTION F/F	JUNCTION	DN50	by Dimensions	solvent cement - tapered socket	Light Grey	10 Apr 2017
DN50 45°JUNCTION F/F	DN50 45°JUNCTION F/F	HOLMAN / KIWIPLAS	DN50 45°JUNCTION F/F	JUNCTION	DN50	by Dimensions	solvent cement - tapered socket	Light Grey	28 Oct 2016
DN50 88°BEND F/F	DN50 88°BEND F/F	BUILDRITE / MAAT	DN50 88°BEND F/F	BEND	DN50	by Dimensions	solvent cement - tapered socket	Light Grey	10 Apr 2017
DN50 88°BEND F/F	DN50 88°BEND F/F	ERA/BUTT HEAD	DN50 88°BEND F/F	BEND	DN50	by Dimensions	solvent cement - tapered socket	Light Grey	24 Feb 2016
DN50 88°BEND F/F	DN50 88°BEND F/F	HOLMAN / KIWIPLAS	DN50 88°BEND F/F	BEND	DN50	by Dimensions	solvent cement - tapered socket	Light Grey	28 Oct 2016
DN50 88°BEND M/F	DN50 88°BEND M/F	ERA/BUTT HEAD	DN50 88°BEND M/F	BEND	DN50	by Dimensions	solvent cement - tapered socket	Light Grey	24 Feb 2016
DN50 88°BEND M/F	DN50 88°BEND M/F	HOLMAN / KIWIPLAS	DN50 88°BEND M/F	BEND	DN50	by Dimensions	solvent cement - tapered socket	Light Grey	28 Oct 2016

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules

Registered by:



The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
DN50 88°BEND M/F	DN50 88°BEND M/F	BUILDRI TE / MAAT	DN50 88°BEND M/F	BEND	DN50	by Dimension s	solvent cement - tapere d socket	Light Grey	10 Apr 2017
DN50 88°BEND SIDE ACCESS F/F	DN50 88°BEND SIDE ACCESS F/F	BUILDRI TE / MAAT	DN50 88°BEND SIDE ACCESS F/F	BEND SIDE ACCESS	DN50	by Dimension s	solvent cement - tapere d socket	Light Grey	10 Apr 2017
DN50 88°BEND SIDE ACCESS F/F	DN50 88°BEND SIDE ACCESS F/F	HOLMAN / KIWIPLA S	DN50 88°BEND SIDE ACCESS F/F	BEND SIDE ACCESS	DN50	by Dimension s	solvent cement - tapere d socket	Light Grey	28 Oct 2016
DN50 88°BEND SIDE ACCESS F/F	DN50 88°BEND SIDE ACCESS F/F	ERA/BU TT HEAD	DN50 88°BEND SIDE ACCESS F/F	BEND SIDE ACCESS	DN50	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016
DN50 88°JUNCTI ON F/F	DN50 88°JUNCTI ON F/F	HOLMAN / KIWIPLA S	DN50 88°JUNCTI ON F/F	JUNCTIO N	DN50	by Dimension s	solvent cement - tapere d socket	Light Grey	28 Oct 2016
DN50 88°JUNCTI ON F/F	DN50 88°JUNCTI ON F/F	BUILDRI TE / MAAT	DN50 88°JUNCTI ON F/F	JUNCTIO N	DN50	by Dimension s	solvent cement - tapere d socket	Light Grey	10 Apr 2017
DN50 88°JUNCTI ON F/F	DN50 88°JUNCTI ON F/F	ERA/BU TT HEAD	DN50 88°JUNCTI ON F/F	JUNCTIO N	DN50	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016
DN50 DUST CAP	DN50 DUST CAP	ERA/BU TT HEAD	DN50 DUST CAP	DUST CAP	DN50	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules

Registered by:



The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
DN50 DUST CAP	DN50 DUST CAP	BUILDRI TE / MAAT	DN50 DUST CAP	DUST CAP	DN50	by Dimension s	solvent cement - tapered socket	Light Grey	10 Apr 2017
DN50 DUST CAP	DN50 DUST CAP	HOLMAN / KIWIPLA S	DN50 DUST CAP	DUST CAP	DN50	by Dimension s	solvent cement - tapered socket	Light Grey	28 Oct 2016
DN50 IRON CONNECT OR FEMALE	DN50 IRON CONNECT OR FEMALE	BUILDRI TE / MAAT	DN50 IRON CONNECT OR FEMALE	IRON CONNECT OR FEMALE	DN50	by Dimension s	solvent cement - tapered socket	Light Grey	10 Apr 2017
DN50 IRON CONNECT OR FEMALE	DN50 IRON CONNECT OR FEMALE	HOLMAN / KIWIPLA S	DN50 IRON CONNECT OR FEMALE	IRON CONNECT OR FEMALE	DN50	by Dimension s	solvent cement - tapered socket	Light Grey	28 Oct 2016
DN50 IRON CONNECT OR FEMALE	DN50 IRON CONNECT OR FEMALE	ERA/BU TT HEAD	DN50 IRON CONNECT OR FEMALE	IRON CONNECT OR FEMALE	DN50	by Dimension s	solvent cement - tapered socket	Light Grey	24 Feb 2016
DN50 IRON CONNECT OR FEMALE (PIPE INTO SOCKET END)	DN50 IRON CONNECT OR FEMALE (PIPE INTO SOCKET END)	BUILDRI TE / MAAT	DN50 IRON CONNECT OR FEMALE (PIPE INTO SOCKET END)	IRON CONNECT OR FEMALE	DN50	by Dimension s	solvent cement - tapered socket	Light Grey	10 Apr 2017
DN50 IRON CONNECT OR FEMALE (PIPE INTO SOCKET END)	DN50 IRON CONNECT OR FEMALE (PIPE INTO SOCKET END)	ERA/BU TT HEAD	DN50 IRON CONNECT OR FEMALE (PIPE INTO SOCKET END)	IRON CONNECT OR FEMALE	DN50	by Dimension s	solvent cement - tapered socket	Light Grey	24 Feb 2016

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules

Registered by:



The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
DN50 IRON CONNECTOR FEMALE (PIPE INTO SOCKET END)	DN50 IRON CONNECTOR FEMALE (PIPE INTO SOCKET END)	HOLMAN / KIWIPLAS	DN50 IRON CONNECTOR FEMALE (PIPE INTO SOCKET END)	IRON CONNECTOR FEMALE	DN50	by Dimensions	solvent cement - tapered socket	Light Grey	28 Oct 2016
DN50 PVC Pipes for Drainage	PVC Pipes for Drainage	ERA	PVC Pipes for Drainage	DN 50PVC Pipes for Drainage	DN50	by dimension	solvent cement	Light Grey	5 Jul 2016
DN50 PVC Pipes for Drainage	PVC Pipes for Drainage	HOLMAN / KIWIPLAS	DN50	PVC Pipes for Drainage	DN50	by Dimensions	solvent weld	Light Grey	28 Oct 2016
DN50 PVC Pipes for Drainage	PVC Pipes for Drainage	BUILDRITE / MAAT	DN50	PVC Pipes for Drainage	DN50	by Dimensions	solvent weld	Light Grey	10 Apr 2017
DN50 PVC Pipes for Drainage	PVC Pipes for Drainage	BUTT HEAD	DN50	PVC Pipes for Drainage	DN50	by Dimensions	solvent weld	Light Grey	28 Oct 2016
DN50 VENT COWL	DN50 VENT COWL	ERA/BUTT HEAD	DN50 VENT COWL	VENT COWL	DN50	by Dimensions	solvent cement - tapered socket	Light Grey	24 Feb 2016
DN50 VENT COWL	DN50 VENT COWL	HOLMAN / KIWIPLAS	DN50 VENT COWL	VENT COWL	DN50	by Dimensions	solvent cement - tapered socket	Light Grey	28 Oct 2016
DN50 VENT COWL	DN50 VENT COWL	BUILDRITE / MAAT	DN50 VENT COWL	VENT COWL	DN50	by Dimensions	solvent cement - tapered socket	Light Grey	10 Apr 2017
DN65 45°BEND F/F	DN65 45°BEND F/F	HOLMAN / KIWIPLAS	DN65 45°BEND F/F	BEND	DN65	by Dimensions	solvent cement - tapered socket	Light Grey	28 Oct 2016

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules

Registered by:



The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
DN65 45°BEND F/F	DN65 45°BEND F/F	BUILDRI TE / MAAT	DN65 45°BEND F/F	BEND	DN65	by Dimension s	solvent cement - tapere d socket	Light Grey	10 Apr 2017
DN65 45°BEND F/F	DN65 45°BEND F/F	ERA/BU TT HEAD	DN65 45°BEND F/F	BEND	DN65	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016
DN65 45°BEND M/F	DN65 45°BEND M/F	ERA/BU TT HEAD	DN65 45°BEND M/F	BEND	DN65	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016
DN65 45°BEND M/F	DN65 45°BEND M/F	HOLMAN / KIWIPLA S	DN65 45°BEND M/F	BEND	DN65	by Dimension s	solvent cement - tapere d socket	Light Grey	28 Oct 2016
DN65 45°BEND M/F	DN65 45°BEND M/F	BUILDRI TE / MAAT	DN65 45°BEND M/F	BEND	DN65	by Dimension s	solvent cement - tapere d socket	Light Grey	10 Apr 2017
DN65 45°JUNCTI ON F/F	DN65 45°JUNCTI ON F/F	ERA/BU TT HEAD	DN65 45°JUNCTI ON F/F	JUNCTIO N	DN65	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016
DN65 45°JUNCTI ON F/F	DN65 45°JUNCTI ON F/F	HOLMAN / KIWIPLA S	DN65 45°JUNCTI ON F/F	JUNCTIO N	DN65	by Dimension s	solvent cement - tapere d socket	Light Grey	28 Oct 2016
DN65 45°JUNCTI ON F/F	DN65 45°JUNCTI ON F/F	BUILDRI TE / MAAT	DN65 45°JUNCTI ON F/F	JUNCTIO N	DN65	by Dimension s	solvent cement - tapere d socket	Light Grey	10 Apr 2017

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules



Registered by:

The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
DN65 88°BEND F/F	DN65 88°BEND F/F	ERA/BU TT HEAD	DN65 88°BEND F/F	BEND	DN65	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016
DN65 88°BEND F/F	DN65 88°BEND F/F	HOLMAN / KIWIPLA S	DN65 88°BEND F/F	BEND	DN65	by Dimension s	solvent cement - tapere d socket	Light Grey	28 Oct 2016
DN65 88°BEND F/F	DN65 88°BEND F/F	BUILDRI TE / MAAT	DN65 88°BEND F/F	BEND	DN65	by Dimension s	solvent cement - tapere d socket	Light Grey	10 Apr 2017
DN65 88°BEND SIDE ACCESS F/F	DN65 88°BEND SIDE ACCESS F/F	BUILDRI TE / MAAT	DN65 88°BEND SIDE ACCESS F/F	BEND SIDE ACCESS	DN65	by Dimension s	solvent cement - tapere d socket	Light Grey	10 Apr 2017
DN65 88°BEND SIDE ACCESS F/F	DN65 88°BEND SIDE ACCESS F/F	HOLMAN / KIWIPLA S	DN65 88°BEND SIDE ACCESS F/F	BEND SIDE ACCESS	DN65	by Dimension s	solvent cement - tapere d socket	Light Grey	28 Oct 2016
DN65 88°BEND SIDE ACCESS F/F	DN65 88°BEND SIDE ACCESS F/F	ERA/BU TT HEAD	DN65 88°BEND SIDE ACCESS F/F	BEND SIDE ACCESS	DN65	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016
DN65 88°JUNCTI ON F/F	DN65 88°JUNCTI ON F/F	HOLMAN / KIWIPLA S	DN65 88°JUNCTI ON F/F	JUNCTIO N	DN65	by Dimension s	solvent cement - tapere d socket	Light Grey	28 Oct 2016
DN65 88°JUNCTI ON F/F	DN65 88°JUNCTI ON F/F	BUILDRI TE / MAAT	DN65 88°JUNCTI ON F/F	JUNCTIO N	DN65	by Dimension s	solvent cement - tapere d socket	Light Grey	10 Apr 2017

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules

Registered by:



The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
DN65 88°JUNCTION F/F	DN65 88°JUNCTION F/F	ERA/BUTT HEAD	DN65 88°JUNCTION F/F	JUNCTION	DN65	by Dimensions	solvent cement - tapered socket	Light Grey	24 Feb 2016
DN65 DUST CAP	DN65 DUST CAP	ERA/BUTT HEAD	DN65 DUST CAP	DUST CAP	DN65	by Dimensions	solvent cement - tapered socket	Light Grey	24 Feb 2016
DN65 DUST CAP	DN65 DUST CAP	BUILDRITE / MAAT	DN65 DUST CAP	DUST CAP	DN65	by Dimensions	solvent cement - tapered socket	Light Grey	10 Apr 2017
DN65 DUST CAP	DN65 DUST CAP	HOLMAN / KIWIPLAS	DN65 DUST CAP	DUST CAP	DN65	by Dimensions	solvent cement - tapered socket	Light Grey	28 Oct 2016
DN65 PVC Pipes for Drainage	PVC Pipes for Drainage	BUTT HEAD	DN65	PVC Pipes for Drainage	DN65	by Dimensions	solvent weld	Light Grey	28 Oct 2016
DN65 PVC Pipes for Drainage	PVC Pipes for Drainage	BUILDRITE / MAAT	DN65	PVC Pipes for Drainage	DN65	by Dimensions	solvent weld	Light Grey	10 Apr 2017
DN65 PVC Pipes for Drainage	PVC Pipes for Drainage	HOLMAN / KIWIPLAS	DN65	PVC Pipes for Drainage	DN65	by Dimensions	solvent weld	Light Grey	28 Oct 2016
DN65 PVC Pipes for Drainage	PVC Pipes for Drainage	ERA	PVC Pipes for Drainage	DN 65 PVC Pipes for Drainage	DN65	by dimension	solvent cement	Light Grey	5 Jul 2016
DN80 COUPLING F/F	DN80 COUPLING F/F	BUILDRITE / MAAT	DN80 COUPLING F/F	COUPLING	DN80	by Dimensions	solvent cement - tapered socket	Light Grey	10 Apr 2017

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules



Registered by:

The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
DN80 COUPLING F/F	DN80 COUPLING F/F	ERA/BUTT HEAD	DN80 COUPLING F/F	COUPLING	DN80	by Dimensions	solvent cement - tapered socket	Light Grey	24 Feb 2016
DN80 COUPLING F/F	DN80 COUPLING F/F	HOLMAN / KIWIPLAS	DN80 COUPLING F/F	COUPLING	DN80	by Dimensions	solvent cement - tapered socket	Light Grey	28 Oct 2016
DN80 FLOOR WASTE GULLY	DN80 FLOOR WASTE GULLY	BUILDRITE / MAAT	DN80 FLOOR WASTE GULLY	FLOOR WASTE GULLY	DN80	by Dimensions	solvent cement - tapered socket	Light Grey	10 Apr 2017
DN80 FLOOR WASTE GULLY	DN80 FLOOR WASTE GULLY	ERA/BUTT HEAD	DN80 FLOOR WASTE GULLY	FLOOR WASTE GULLY	DN80	by Dimensions	solvent cement - tapered socket	Light Grey	24 Feb 2016
DN80 FLOOR WASTE GULLY	DN80 FLOOR WASTE GULLY	HOLMAN / KIWIPLAS	DN80 FLOOR WASTE GULLY	FLOOR WASTE GULLY	DN80	by Dimensions	solvent cement - tapered socket	Light Grey	28 Oct 2016
DN80 45°BEND F/F	DN80 45°BEND F/F	BUILDRITE / MAAT	DN80 45°BEND F/F	BEND	DN80	by Dimensions	solvent cement - tapered socket	Light Grey	10 Apr 2017
DN80 45°BEND F/F	DN80 45°BEND F/F	HOLMAN / KIWIPLAS	DN80 45°BEND F/F	BEND	DN80	by Dimensions	solvent cement - tapered socket	Light Grey	28 Oct 2016
DN80 45°BEND F/F	DN80 45°BEND F/F	ERA/BUTT HEAD	DN80 45°BEND F/F	BEND	DN80	by Dimensions	solvent cement - tapered socket	Light Grey	24 Feb 2016

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules

Registered by:



The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
DN80 45°BEND M/F	DN80 45°BEND M/F	ERA/BU TT HEAD	DN80 45°BEND M/F	BEND	DN80	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016
DN80 45°BEND M/F	DN80 45°BEND M/F	HOLMAN / KIWIPLA S	DN80 45°BEND M/F	BEND	DN80	by Dimension s	solvent cement - tapere d socket	Light Grey	28 Oct 2016
DN80 45°BEND M/F	DN80 45°BEND M/F	BUILDRI TE / MAAT	DN80 45°BEND M/F	BEND	DN80	by Dimension s	solvent cement - tapere d socket	Light Grey	10 Apr 2017
DN80 45°JUNCTI ON F/F	DN80 45°JUNCTI ON F/F	ERA/BU TT HEAD	DN80 45°JUNCTI ON F/F	JUNCTIO N	DN80	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016
DN80 45°JUNCTI ON F/F	DN80 45°JUNCTI ON F/F	BUILDRI TE / MAAT	DN80 45°JUNCTI ON F/F	JUNCTIO N	DN80	by Dimension s	solvent cement - tapere d socket	Light Grey	10 Apr 2017
DN80 45°JUNCTI ON F/F	DN80 45°JUNCTI ON F/F	HOLMAN / KIWIPLA S	DN80 45°JUNCTI ON F/F	JUNCTIO N	DN80	by Dimension s	solvent cement - tapere d socket	Light Grey	28 Oct 2016
DN80 88°BEND F/F	DN80 88°BEND F/F	HOLMAN / KIWIPLA S	DN80 88°BEND F/F	BEND	DN80	by Dimension s	solvent cement - tapere d socket	Light Grey	28 Oct 2016
DN80 88°BEND F/F	DN80 88°BEND F/F	ERA/BU TT HEAD	DN80 88°BEND F/F	BEND	DN80	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules

Registered by:



The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
DN80 88°BEND F/F	DN80 88°BEND F/F	BUILDRI TE / MAAT	DN80 88°BEND F/F	BEND	DN80	by Dimension s	solvent cement - tapere d socket	Light Grey	10 Apr 2017
DN80 88°JUNCTI ON F/F	DN80 88°JUNCTI ON F/F	ERA/BU TT HEAD	DN80 88°JUNCTI ON F/F	JUNCTIO N	DN80	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016
DN80 88°JUNCTI ON F/F	DN80 88°JUNCTI ON F/F	BUILDRI TE / MAAT	DN80 88°JUNCTI ON F/F	JUNCTIO N	DN80	by Dimension s	solvent cement - tapere d socket	Light Grey	10 Apr 2017
DN80 88°JUNCTI ON F/F	DN80 88°JUNCTI ON F/F	HOLMAN / KIWIPLA S	DN80 88°JUNCTI ON F/F	JUNCTIO N	DN80	by Dimension s	solvent cement - tapere d socket	Light Grey	28 Oct 2016
DN80 DUST CAP	DN80 DUST CAP	ERA/BU TT HEAD	DN80 DUST CAP	DUST CAP	DN80	by Dimension s	solvent cement - tapere d socket	Light Grey	24 Feb 2016
DN80 DUST CAP	DN80 DUST CAP	BUILDRI TE / MAAT	DN80 DUST CAP	DUST CAP	DN80	by Dimension s	solvent cement - tapere d socket	Light Grey	10 Apr 2017
DN80 DUST CAP	DN80 DUST CAP	HOLMAN / KIWIPLA S	DN80 DUST CAP	DUST CAP	DN80	by Dimension s	solvent cement - tapere d socket	Light Grey	28 Oct 2016
DN80 PVC Pipes for Drainage	PVC Pipes for Drainage	HOLMAN / KIWIPLA S	DN80	PVC Pipes for Drainage	DN80	by Dimension s	solvent weld	Light Grey	28 Oct 2016

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules



Registered by:

The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
DN80 PVC Pipes for Drainage	PVC Pipes for Drainage	ERA	PVC Pipes for Drainage	DN 80 PVC Pipes for Drainage	DN80	by dimension	solvent cement	Light Grey	5 Jul 2016
DN80 PVC Pipes for Drainage	PVC Pipes for Drainage	BUILDRITE / MAAT	DN80	PVC Pipes for Drainage	DN80	by Dimensions	solvent weld	Light Grey	10 Apr 2017
DN80 PVC Pipes for Drainage	PVC Pipes for Drainage	BUTT HEAD	DN80	PVC Pipes for Drainage	DN80	by Dimensions	solvent weld	Light Grey	28 Oct 2016

End of Record

Certificate No: WMK26022

Issued Date: 1 February 2018

This schedule supersedes all previously issued schedules

Registered by:



The WATERMARK is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.